

No. of Cores & Nominal Area of Conductor	FHM -200		FHM -300A	
	Approx. Overall Diameter	Approx. Weight	Approx. Overall Diameter	Approx. Weight
No. X mm²	mm	Kg / Km	mm	Kg / Km
2 X 1.0	8.5	80	13.4	350
3 X 1.0	9.1	100	14.0	360
4 X 1.0	10.0	130	14.9	440
6 X 1.0	12.8	180	17.7	640
10 X 1.0	14.7	250	20.8	760
12 X 1.0	15.8	350	21.9	900
16 X 1.0	19.2	500	25.5	1100
2 X 1.5	9.3	110	14.2	420
3 X 1.5	9.8	140	14.7	480
4 X 1.5	10.9	180	15.8	640
6 X 1.5	13.4	270	18.8	770
10 X 1.5	15.8	400	21.9	1080
12 X 1.5	17.0	480	23.1	1200
16 X 1.5	20.7	710	27.7	1760
2 X 2.5	10.6	180	15.5	480
3 X 2.5	11.2	190	16.1	520
4 X 2.5	12.7	230	17.9	630
6 X 2.5	15.2	330	21.3	940
10 X 2.5	18.8	510	24.3	1340
12 X 2.5	19.4	680	25.7	1520
16 X 2.5	23.8	970	31.3	2080