

No. of Core & Nominal Area of Conductor	Approx. O.D.	Approx. Weight		No. of Core & Nominal Area of Conductor	Approx. O.D.	Approx. Weight		No. of Core & Nominal Area of Conductor	Approx. O.D.	Approx. Weight	
		FWC-2000-08	FWC-2000-08			FWC-2000-08	FWC-2000-08			FWC-2000-08	FWC-2000-08
No. & mm²	mm	Kg/Km	Kg/Km	No. & mm²	mm	Kg/Km	Kg/Km	No. & mm²	mm	Kg/Km	Kg/Km
1 X 3.0 (9.75)	11.3	204	199	1 X 3.0 (9.75)	11.6	211	206	1 X 3.0 (9.75)	12.0	240	237
1 X 3.5 (9.75)	12.0	227	227	1 X 3.5 (9.75)	12.4	244	238	1 X 3.5 (9.75)	12.8	269	267
1 X 4.0 (9.75)	12.8	257	250	1 X 4.0 (9.75)	13.2	281	274	1 X 4.0 (9.75)	14.0	340	339
2 X 2.0 (9.75)	16.7	405	400	2 X 2.0 (9.75)	17.2	500	490	2 X 2.0 (9.75)	17.8	580	578
2 X 2.5 (9.75)	20.0	528	520	2 X 2.5 (9.75)	20.6	650	638	2 X 2.5 (9.75)	21.2	747	746
2 X 3.0 (9.75)	24.0	720	699	2 X 3.0 (9.75)	24.6	790	783	2 X 3.0 (9.75)	25.2	881	880
2 X 3.5 (9.75)	24.0	750	720	2 X 3.5 (9.75)	24.8	808	808	2 X 3.5 (9.75)	25.2	850	850
2 X 4.0 (9.75)	28.7	870	870	2 X 4.0 (9.75)	27.4	900	900	2 X 4.0 (9.75)	28.8	1080	1070
2 X 4.5 (9.75)	28.7	884	858	2 X 4.5 (9.75)	29.2	1000	1000	2 X 4.5 (9.75)	29.8	1100	1100
2 X 5.0 (9.75)	33.0	1100	1100	2 X 5.0 (9.75)	33.8	1200	1200	2 X 5.0 (9.75)	34.2	1300	1300
2 X 5.5 (9.75)	33.0	1200	1200	2 X 5.5 (9.75)	34.8	1400	1370	2 X 5.5 (9.75)	35.8	1500	1500
2 X 6.0 (9.75)	38.0	1370	1367	2 X 6.0 (9.75)	38.8	1600	1620	2 X 6.0 (9.75)	39.8	1800	1800
2 X 6.5 (9.75)	38.0	1400	1399	2 X 6.5 (9.75)	40.0	1700	1700	2 X 6.5 (9.75)	41.0	1900	1900
2 X 7.0 (9.75)	43.0	1600	1600	2 X 7.0 (9.75)	43.8	1800	1800				