

No. of Core & Nominal Area of Conductor	Approx. Overall Diameter	Approx. Weight	No. of Core & Nominal Area of Conductor	Approx. Overall Diameter	Approx. Weight	No. of Core & Nominal Area of Conductor	Approx. Overall Diameter	Approx. Weight
No. X mm <sup>2</sup>	mm	Kg / Km	No. X mm <sup>2</sup>	mm	Kg / Km	No. X mm <sup>2</sup>	mm	Kg / Km
2 X 0.5	11.0	240	20 X 0.75	21.5	880	10 X 1.5	19.8	840
3 X 0.5	11.5	265	24 X 0.75	22.6	950	12 X 1.5	20.8	920
4 X 0.5	12.1	295	37 X 0.75	27.0	1385	19 X 1.5	23.5	1195
6 X 0.5	13.7	375	2 X 1.0	11.9	285	20 X 1.5	25.1	1410
10 X 0.5	15.7	490	3 X 1.0	12.4	310	24 X 1.5	26.6	1585
12 X 0.5	16.5	535	4 X 1.0	13.3	360	37 X 1.5	30.5	2065
19 X 0.5	19.8	785	6 X 1.0	15.0	450	2 X 2.5	14.0	395
20 X 0.5	20.8	845	10 X 1.0	17.3	605	3 X 2.5	14.8	450
24 X 0.5	21.7	930	12 X 1.0	19.2	780	4 X 2.5	15.6	515
37 X 0.5	24.5	1175	19 X 1.0	21.9	1020	6 X 2.5	19.1	785
2 X 0.75	11.6	260	20 X 1.0	22.4	1060	10 X 2.5	21.9	1055
3 X 0.75	12.0	275	24 X 1.0	23.8	1180	12 X 2.5	23.2	1175
4 X 0.75	12.8	310	37 X 1.0	28.4	1665	19 X 2.5	27.6	1730
6 X 0.75	14.0	390	2 X 1.5	12.8	330	20 X 2.5	28.4	1820
10 X 0.75	16.6	515	3 X 1.5	13.6	370	24 X 2.5	30.6	2090
12 X 0.75	17.5	560	4 X 1.5	14.2	420	37 X 2.5	35.4	2780
19 X 0.75	21.0	840	6 X 1.5	16.3	550			